









GR-795/796-ST-DUO 1h duration 300lm

Escape route, 1Lux floor luminosity

| Models | Height (m) |  |  |  |  |
|------------|------------|---|--|---|---|
| GR-795 | 2 | 6,26 | 13,74 | 5,99 | 2,36 |
| GR-795/WL | 2,5 | 7,29 | 16,22 | 6,44 | 2,43 |
| GR-795/ADR | 3 | 8,21 | 18,46 | 6,76 | 2,51 |
| GR-796 | 3,5 | 9,04 | 20,49 | 6,88 | 2,68 |
| GR-796/WL | 4 | 9,79 | 22,36 | 7,01 | 2,85 |
| GR-796/ADR | 5 | 11,01 | 25,73 | 7,63 | 2,96 |
| | 6 | 11,59 | 28,63 | 8,22 | 2,93 |
| | 7 | 1,92 | 23,99 | 8,38 | 2,16 |
| | 8 | x | 27,74 | 6,64 | x |

Escape route, 2Lux floor luminosity

| Models | Height (m) |  |  |  |  |
|------------|------------|---|--|---|---|
| GR-795 | 2 | 5,59 | 12,52 | 4,72 | 1,75 |
| GR-795/WL | 2,5 | 6,43 | 14,59 | 4,87 | 1,90 |
| GR-795/ADR | 3 | 7,15 | 16,42 | 5,03 | 2,05 |
| GR-796 | 3,5 | 7,75 | 18,08 | 5,37 | 2,09 |
| GR-796/WL | 4 | 8,16 | 19,59 | 5,70 | 2,11 |
| GR-796/ADR | 5 | 1,15 | 16,74 | 5,93 | 1,46 |
| | 6 | x | 14,43 | 4,16 | x |

GR-795/796-ST-DUO 1h duration 300lm

Open area, 0.5Lux floor luminosity

| Models | Height (m) | | | | | |
|------------|------------|------|-------|-------|------|--|
| GR-795 | 2 | 4,21 | 9,41 | 10,55 | 4,82 | |
| GR-795/WL | 2,5 | 4,90 | 10,94 | 12,50 | 5,63 | |
| GR-795/ADR | 3 | 5,52 | 12,44 | 14,25 | 6,33 | |
| GR-796 | 3,5 | 6,03 | 13,81 | 15,85 | 6,90 | |
| GR-796/WL | 4 | 6,48 | 15,09 | 17,28 | 7,33 | |
| GR-796/ADR | 5 | 7,19 | 17,19 | 19,64 | 7,69 | |
| | 6 | 7,57 | 18,91 | 21,19 | 5,96 | |
| | 7 | 7,09 | 20,30 | 20,55 | 3,97 | |
| | 8 | x | 21,13 | 18,28 | x | |

Open area, 1Lux floor luminosity





| Models | Height (m) | | | | | |
|------------|------------|------|-------|-------|------|--|
| GR-795 | 2 | 3,75 | 8,42 | 9,64 | 4,29 | |
| GR-795/WL | 2,5 | 4,27 | 9,81 | 11,26 | 4,89 | |
| GR-795/ADR | 3 | 4,71 | 11,04 | 12,66 | 5,27 | |
| GR-796 | 3,5 | 5,05 | 12,07 | 13,80 | 5,43 | |
| GR-796/WL | 4 | 5,27 | 12,96 | 14,66 | 4,57 | |
| GR-796/ADR | 5 | 4,75 | 14,39 | 14,39 | 2,70 | |
| | 6 | x | 11,31 | 11,65 | x | |

Open area, 2Lux floor luminosity





| Models | Height (m) | | | | | |
|------------|------------|------|-------|-------|------|--|
| GR-795 | 2 | 3,21 | 7,50 | 8,59 | 3,63 | |
| GR-795/WL | 2,5 | 3,57 | 8,55 | 9,78 | 3,82 | |
| GR-795/ADR | 3 | 3,76 | 9,42 | 10,55 | 2,98 | |
| GR-796 | 3,5 | 3,37 | 10,11 | 10,27 | 1,98 | |
| GR-796/WL | 4 | x | 9,89 | 9,14 | x | |
| GR-796/ADR | | | | | | |

GR-795/796-ST-DUO 3h duration 240lm

Escape route, 1Lux floor luminosity

| Models | Height (m) |  |  |  |  |
|------------|------------|---|---|--|---|
| GR-795 | 2 | 6,05 | 13,37 | 5,52 | 2,15 |
| GR-795/WL | 2,5 | 7,01 | 15,71 | 5,96 | 2,21 |
| GR-795/ADR | 3 | 7,87 | 17,81 | 6,13 | 2,35 |
| GR-796 | 3,5 | 8,65 | 19,72 | 6,23 | 2,52 |
| GR-796/WL | 4 | 9,31 | 21,48 | 6,50 | 2,62 |
| GR-796/ADR | 5 | 10,29 | 24,62 | 7,18 | 2,68 |
| | 6 | 2,33 | 24,08 | 7,46 | 2,26 |
| | 7 | x | 19,84 | 6,65 | x |

Escape route, 2Lux floor luminosity

| Models | Height (m) |  |  |  |  |
|------------|------------|---|---|--|---|
| GR-795 | 2 | 5,37 | 12,10 | 4,31 | 1,62 |
| GR-795/WL | 2,5 | 6,15 | 14,03 | 4,42 | 1,79 |
| GR-795/ADR | 3 | 6,8 | 15,75 | 4,7 | 1,86 |
| GR-796 | 3,5 | 7,25 | 17,31 | 5,05 | 1,89 |
| GR-796/WL | 4 | 7,28 | 18,63 | 5,25 | 1,78 |
| GR-796/ADR | 5 | x | 13,97 | 4,41 | x |

GR-795/796-ST-DUO 3h duration 240lm

Open area, 0.5Lux floor luminosity

| Models | Height (m) | | | | |
|------------|------------|------|-------|-------|------|
| GR-795 | 2 | 4,06 | 9,04 | 10,27 | 4,66 |
| GR-795/WL | 2,5 | 4,72 | 10,59 | 12,11 | 5,41 |
| GR-795/ADR | 3 | 5,26 | 12,00 | 13,77 | 6,03 |
| GR-796 | 3,5 | 5,72 | 13,30 | 15,24 | 6,50 |
| GR-796/WL | 4 | 6,12 | 14,42 | 16,56 | 6,79 |
| GR-796/ADR | 5 | 6,66 | 16,31 | 18,48 | 5,89 |
| | 6 | 6,71 | 17,85 | 18,55 | 4,00 |
| | 7 | 4,98 | 18,82 | 17,06 | 1,22 |
| | 8 | x | 13,08 | 12,66 | x |

Open area, 1Lux floor luminosity

| Models | Height (m) | | | | |
|------------|------------|------|-------|-------|------|
| GR-795 | 2 | 3,58 | 8,12 | 9,32 | 4,11 |
| GR-795/WL | 2,5 | 4,05 | 9,44 | 10,82 | 4,59 |
| GR-795/ADR | 3 | 4,44 | 10,53 | 12,07 | 4,84 |
| GR-796 | 3,5 | 4,68 | 11,45 | 13,00 | 4,26 |
| GR-796/WL | 4 | 4,80 | 12,25 | 13,23 | 3,16 |
| GR-796/ADR | 5 | x | 13,32 | 11,78 | x |

Open area, 2Lux floor luminosity

| Models | Height (m) | 3,03 | 7,16 | 8,23 | 3,36 |
|------------|------------|------|------|------|------|
| GR-795 | 2 | | | | |
| GR-795/WL | 2,5 | 3,30 | 8,11 | 9,19 | 2,94 |
| GR-795/ADR | 3 | 3,30 | 8,88 | 9,27 | 2,00 |
| GR-796 | 3,5 | 1,25 | 9,37 | 8,53 | 0,6 |
| GR-796/WL | 4 | x | 6,33 | 6,33 | x |
| GR-796/ADR | | | | | |

GR-795/796-ST-DUO 8h duration 110lm

Escape route, 1Lux floor luminosity

| Models | Height (m) | | | | |
|------------|------------|------|-------|------|------|
| GR-795 | 2 | 5,28 | 11,93 | 4,14 | 1,58 |
| GR-795/WL | 2,5 | 6,03 | 13,82 | 4,28 | 1,74 |
| GR-795/ADR | 3 | 6,64 | 15,49 | 4,60 | 1,79 |
| GR-796 | 3,5 | 7,00 | 16,98 | 4,91 | 1,80 |
| GR-796/WL | 4 | 1,76 | 18,27 | 5,04 | 1,58 |
| GR-796/ADR | 5 | x | 12,67 | 3,74 | x |

Escape route, 2Lux floor luminosity

| Models | Height (m) | | | | |
|------------|------------|------|-------|------|------|
| GR-795 | 2 | 4,56 | 10,56 | 3,16 | 1,26 |
| GR-795/WL | 2,5 | 4,95 | 12,07 | 3,48 | 1,27 |
| GR-795/ADR | 3 | 0,8 | 10,26 | 3,59 | 0,92 |
| GR-796 | 3,5 | x | 9,05 | 2,69 | x |
| GR-796/WL | | | | | |
| GR-796/ADR | | | | | |

GR-795/796-ST-DUO 8h duration 110lm

Open area, 0.5Lux floor luminosity

| Models | Height (m) | | | | | |
|------------|------------|------|-------|-------|------|--|
| GR-795 | 2 | 3,51 | 8,01 | 9,19 | 4,03 | |
| GR-795/WL | 2,5 | 3,97 | 9,29 | 10,64 | 4,46 | |
| GR-795/ADR | 3 | 4,32 | 10,33 | 11,81 | 4,64 | |
| GR-796 | 3,5 | 4,53 | 11,21 | 12,63 | 3,79 | |
| GR-796/WL | 4 | 4,55 | 11,97 | 12,59 | 2,80 | |
| GR-796/ADR | 5 | x | 10,26 | 10,6 | x | |

Open area, 1Lux floor luminosity

| Models | Height (m) | | | | | |
|------------|------------|------|------|------|------|--|
| GR-795 | 2 | 2,96 | 7,03 | 8,07 | 3,24 | |
| GR-795/WL | 2,5 | 3,20 | 7,94 | 8,93 | 2,65 | |
| GR-795/ADR | 3 | 2,84 | 8,65 | 8,79 | 1,69 | |
| GR-796 | 3,5 | x | 7,14 | 7,59 | x | |
| GR-796/WL | | | | | | |
| GR-796/ADR | | | | | | |

Open area, 2Lux floor luminosity

| Models | Height (m) | | | | | |
|------------|------------|------|------|------|------|--|
| GR-795 | 2 | 2,18 | 5,92 | 6,29 | 1,40 | |
| GR-795/WL | 2,5 | x | 4,74 | 5,3 | x | |
| GR-795/ADR | | | | | | |
| GR-796 | | | | | | |
| GR-796/WL | | | | | | |
| GR-796/ADR | | | | | | |