



























Innovative solutions by Olympia Electronics developed after the COVID19 pandemic worldwide.

The new series of Covid Light LED safety measures marking panels, which consists of 3 models, meets all the requirements of various business spaces and crowded

The modern style and simplicity of the connections, make the Covid Light series luminaires ideal for any space where there is a need to mark public health protection measures due to the pandemic COVID19.





for a safer world!



Lamp LED

Construction materials Bayblend Fr3010, aluminum, plexiglas

Placements


Crowded areas like: malls, shops, airports, schools, factories, offices, public services buildings, etc.

Installation

COV/44/EM: Single sided sign suitable for wall or ceiling mounting, surface pendant or parallel mounting with the included accessories. Accessories suitable for hanging on a suspended ceiling or wall flag mounting available upon request.

COV/44/DZ: Double sided sign suitable for wall or ceiling mounting, surface wire suspended mounting with 50 cm wire or recessed ceiling mounting in false ceilings with the included accessories. The sign is suitable for placement in spaces with high ceilings.

COV/44/SP: Double sided sign suitable for wall or ceiling mounting, surface pendant mounting or recessed ceiling mounting in false ceilings with the included accessories.




Pictograms


COV/44/EM: Pictograms with 42m viewing distance for single sided sign.
COV/44/SP & COV/44/DZ: Pictograms with 38m viewing distance for double sided sign.

The package contains 3 pictograms of different markings to meet the needs that have been created after the COVID19 pandemic. Pictograms on COV-44/EM/MAR are easily placed over the transparent diffuser without the use of glue.


Dimensions in cm for COV-44/EM



Dimensions in cm for COV-44/SP & COV-44/DZ



Power supply



Pictografms included in the package

CODE	DESCRIPTION	IMAGE
804940000	CW-44/1,5 Marking overlay with indicator distance 1,5m	↑ (1,5 m) ↑
804940001	CW-44/2 Marking overlay with indicator distance 2m	↑
804940002	CW-44 Marking overlay with indicator distance 2m, use of mask & antiseptic	



Code	Description	Installation	Viewing distance
922804450	COV-44/EM, IP30, LED Safety measures marking panel, 230V, single sided	Wall or ceiling mounting, surface pendant or parallel mounting with the included accessories. Accessories suitable for hanging on a suspended ceiling or wall flag mounting upon request.	42m
922804451	COV-44/DZ, IP30, LED Safety measures marking panel, 230V, double sided	Wall or ceiling mounting, surface wire suspended mounting with 50 cm wire or recessed ceiling mounting in false ceilings with the included accessories. Sign suitable for placement in spaces with high ceilings.	38m
922804452	COV-44/SP, IP30, LED Safety measures marking panel, 230V, double sided	Wall or ceiling mounting, surface pendant mounting or recessed ceiling mounting in false ceilings with the included accessories.	38m

Mounting accessories for COV/44/EM that contained in the package

Code	Description
927321340	A-2134 Accessory for wall mounting (white)
927321370	A-2137 Accessory for hanging ceiling mounting (white)

Mounting accessories for COV/44/EM **after order**

Code	Description
927321300	A-2130 Set of accessories (1m) for ceiling mounting (white)
927321310	A-2131 Set of accessories (0,5m) for ceiling mounting (white)
927321320	A-2132 Set of accessories (0,25m) for ceiling mounting (white)
927321330	A-2133 Accessory for vertical wall mounting (white)












A-2130, A-2131, A-2132

A-2133






Mounting methods for COV-44/EM with the accessories that contained in the package



Mounting methods for COV-44/DZ with the accessories that contained in the package



Mounting methods for COV-44/SP with the accessories that contained in the package

